


Fixing

Fixing of the full-extension runner on the cabinet side




Screws, see page 37.

If the fixing of the runners is carried out before the assembly of the cabinet, we recommend that the inset position of the runner is increased from 38 to 39 mm to accommodate the manufacturing tolerances in the cabinet and the runner.


The oval slots on the runners enable a depth adjustment of \pm 4.5 mm and a height adjustment of \pm 6 mm to be made.

These adjustments are in addition to those incorporated in the fixing clips and in the runner (**Adjustments**, see page 17).



Drilling positions for runner on cabinet side

The use of at least 4 fixing screws for each runner to the cabinet side is highly recommended.



On longer lengths load capacity may vary.

Drawer setting

Abbreviations

CHEST OF DRAWERS


SP = Thickness of the drawer side

LC = Depth of the drawer

PM = Depth of the cabinet


X = Internal width of the cabinet

LN = Nominal runner length




The internal width of the drawer is 42 mm less than the internal width of the cabinet

The external length of the drawer is 10 mm less than the runner length




Drawer drilling



3-SIDED drawer



4-SIDED drawer




REAR HOOK



Use **SGD704UGXA drilling template** for rear hook, see page 35.

Synchroniser for Push runners, see page 32.
Lever for the tilt adjustment, see page 37.

Part number composition



Industrial packing

SMOVE	LENGTH	BOX Right runners	BOX Left runners	PALLET Right runners	PALLET Left runners
G7E6S350XXB	350 mm	6 pcs.	6 pcs.	384 pcs.	384 pcs.
G7E6S400XXB	400 mm	6 pcs.	6 pcs.	384 pcs.	384 pcs.
G7E6S450XXB	450 mm	6 pcs.	6 pcs.	384 pcs.	384 pcs.
G7E6S500XXB	500 mm	6 pcs.	6 pcs.	384 pcs.	384 pcs.
G7E6S550XXB	550 mm	6 pcs.	6 pcs.	384 pcs.	384 pcs.
G7E6S600XXB	600 mm	4 pcs.	4 pcs.	256 pcs.	256 pcs.
G7E6S650XXB	650 mm	4 pcs.	4 pcs.	256 pcs.	256 pcs.
G7E6S700XXB	700 mm	4 pcs.	4 pcs.	256 pcs.	256 pcs.
G7E6S750XXB	750 mm	4 pcs.	4 pcs.	256 pcs.	256 pcs.

PUSH	LENGTH	BOX Right runners	BOX Left runners	PALLET Right runners	PALLET Left runners
G7E6P350XXB	350 mm	6 pcs.	6 pcs.	384 pcs.	384 pcs.
G7E6P400XXB	400 mm	6 pcs.	6 pcs.	384 pcs.	384 pcs.
G7E6P450XXB	450 mm	6 pcs.	6 pcs.	384 pcs.	384 pcs.
G7E6P500XXB	500 mm	6 pcs.	6 pcs.	384 pcs.	384 pcs.
G7E6P550XXB	550 mm	6 pcs.	6 pcs.	384 pcs.	384 pcs.
G7E6P600XXB	600 mm	4 pcs.	4 pcs.	256 pcs.	256 pcs.
G7E6P650XXB	650 mm	4 pcs.	4 pcs.	256 pcs.	256 pcs.
G7E6P700XXB	700 mm	4 pcs.	4 pcs.	256 pcs.	256 pcs.
G7E6P750XXB	750 mm	4 pcs.	4 pcs.	256 pcs.	256 pcs.

CLIP	BOX Right clips	BOX Left clips	PALLET Right clips	PALLET Left clips
AFCGXX3B	100 pcs.	100 pcs.	2400 pcs.	2400 pcs.

LEVER FOR TILT ADJUSTMENT	BOX	PALLET
AGLRXX3F	10 boxes 1 box = 12 right pcs. and 12 left pcs.	2400 right pcs. and 2400 left pcs.